



CONTENTS

(based on prevalent subjects)

Breeding, genetics and reproduction

- Comparison of two chicken genotypes organically reared: oxidative stability and other qualitative traits of the meat 29
- Analysis of the genetic diversity between Gentile di Puglia, Sopravissana and Sarda sheep breeds using microsatellite markers 73
- The genetic variability of the Podolica cattle breed from the Gargano area. Preliminary results 79
- MC1R gene analysis applied to breed traceability of beef (short communication) 87
- Prevalence and genetic parameters for hip dysplasia in Italian population of purebred dogs ... 107
- Genetic selection strategies to improve longevity in Chianina beef cattle 117
- Genetic variability in three Italian beef cattle breeds derived from pedigree information 129
- Morphological traits, reproductive and productive performances of Casertana pigs reared outdoors 139
- Effect of electrical stimulation and other genetic and environmental factors on colour of lamb meat 183
- Age at puberty and some biological parameters of Awassi and its first crosses with Charollais and Romanov rams 193
- Investigation of SNPs in the *ATPIA2*, *CA3* and *DECRI* genes mapped to porcine chromosome 4: analysis in groups of pigs divergent for meat production and quality traits 249
- Typing of *Campylobacter jejuni* and *C. coli* isolated from laying hens during the production cycle 295
- Ceruminous otitis in native chicken breeders belonging to *Robusta Lionata* breed (case report) 312
- Proposal of an udder health genetic index for the Italian Holstein Friesian based on first lactation data 359
- Wool quality in Gentile di Puglia sheep breed as measure of genetic integrity 371
- Latent variable models on performances tests in guide dogs.1. Factor analysis 377



CONTENTS

(based on prevalent subjects)

- Demographic genetics of the endangered Amiata donkey breed (short communication) 387

Ruminant nutrition, production, growth and development

- Changes of particle size distribution and chemical composition of a hay-based ration offered once or twice daily to dairy cows 9
- Genetic selection strategies to improve longevity in Chianina beef cattle 117
- Genetic variability in three Italian beef cattle breeds derived from pedigree information 129
- Raw, extruded and expanded pea (*Pisum sativum*) in dairy cows diets 237
- Effects of synchronizing starch and protein degradation in rumen on fermentation, nutrient utilization and total tract digestibility in sheep 341
- Relationship between fat globule size and chemical and fatty acid composition of cow's milk in mid lactation 349
- Wool quality in Gentile di Puglia sheep breed as measure of genetic integrity 371

Non-ruminant nutrition, production, growth and development

- Comparison of two chicken genotypes organically reared: oxidative stability and other qualitative traits of the meat 29
- Pea seeds (*Pisum sativum*), faba beans (*Vicia faba* var. *minor*) and lupin seeds (*Lupinus albus* var. *multitalia*) as protein sources in broiler diets: effect of extrusion on growth performance 43
- Mixtures of mono-, di- and tri-glycerides as energy supplements to broilers' diets 55
- Morphological traits, reproductive and productive performances of Casertana pigs reared outdoors 139
- Evaluation of the digestibility of *Lathyrus sativus* in growing pigs 147
- The replacement of fish oil with refined coconut oil in the diet of large rainbow trout (*Oncorhynchus mykiss*) 155



CONTENTS

(based on prevalent subjects)

- Gender effect on the metabolic profile of ostriches (*Struthio camelus domesticus*) 229
- Investigation of SNPs in the *ATPIA2*, *CA3* and *DECRI* genes mapped to porcine chromosome 4: analysis in groups of pigs divergent for meat production and quality traits 249
- Physical, chemical and technological traits of dry-cured ham of Cinta Senese pigs reared outdoors and indoors 265
- Typing of *Campylobacter jejuni* and *C. coli* isolated from laying hens during the production cycle 295
- Serotypes of *E. coli* isolated from avian species in Lombardia and Emilia Romagna (North Italy) 298
- Survey on circulation of infectious bronchitis virus strains in Northern Italy 309
- Caecal coccidiosis in commercial male turkeys (case report) 315
- Cultural energy analysis on broiler reared in different capacity poultry houses (short communication) 393

Aquaculture

- Contribution to the definition of the metabolic profile of farmed rainbow trout (*Oncorhynchus mykiss*) 63
- The replacement of fish oil with refined coconut oil in the diet of large rainbow trout (*Oncorhynchus mykiss*) 155
- Environmental impact of sea bass cage farming in the north Adriatic Sea 165

Feed science, by-products and feed technology

- Changes of particle size distribution and chemical composition of a hay-based ration offered once or twice daily to dairy cows 9
- Pea seeds (*Pisum sativum*), faba beans (*Vicia faba* var. *minor*) and lupin seeds (*Lupinus albus* var. *multitalia*) as protein sources in broiler diets: effect of extrusion on growth performance 43
- Mixtures of mono-, di- and tri-glycerides as energy supplements to broilers' diets 55



CONTENTS

(based on prevalent subjects)

- Evaluation of the digestibility of *Lathyrus sativus* in growing pigs 147
- The replacement of fish oil with refined coconut oil in the diet of large rainbow trout (*Oncorhynchus mykiss*) 155
- Chemical composition and *in vitro* digestibility of stalks, leaves and cobs of four corn hybrids at different phenological stages 215
- Raw, extruded and expanded pea (*Pisum sativum*) in dairy cows diets 237
- Microbiological evaluation of food contact surfaces at red meat processing plants in Istanbul, Turkey (short communication) 277
- The effect of haymaking on the neutral detergent soluble fraction of two intercropped forages cut at different growth stages 327
- Effects of synchronizing starch and protein degradation in rumen on fermentation, nutrient utilization and total tract digestibility in sheep 341

Behaviour, welfare and management

- Comparison of video and direct observation methods for measuring oral behaviour in veal calves 19
- Environmental impact of sea bass cage farming in the north Adriatic Sea 165
- Stress evaluation in hares (*Lepus europaeus* Pallas) captured for translocation 175
- Physical, chemical and technological traits of dry-cured ham of Cinta Senese pigs reared outdoors and indoors 265
- Proposal of an udder health genetic index for the Italian Holstein Friesian based on first lactation data 359
- Latent variable models on performances tests in guide dogs.1. Factor analysis 377
- Cultural energy analysis on broiler reared in different capacity poultry houses (short communication) 393



CONTENTS

(based on prevalent subjects)

Hygiene and health

- Prevalence and genetic parameters for hip dysplasia in Italian population of purebred dogs 107
- Genetic selection strategies to improve longevity in Chianina beef cattle 117
- Microbiological evaluation of food contact surfaces at red meat processing plants in Istanbul, Turkey (short communication) 277
- Wild birds as biological indicators of environmental pollution: biotyping and antimicrobial resistance patterns of *Escherichia coli* isolated from Audouin's gulls (*Larus audouinii*) living in the Bay of Gallipoli (Italy) 287
- Survey of *Campylobacter jejuni* and *Campylobacter coli* in different taxa and ecological guilds of migratory birds 291
- Typing of *Campylobacter jejuni* and *C. coli* isolated from laying hens during the production cycle 295
- Serotypes of *E. coli* isolated from avian species in Lombardia and Emilia Romagna (North Italy) 298
- Protection of chickens vaccinated with different schemes including the 4/91 IBV vaccine strain against field IBV strain Italy 02: preliminary results 302
- Survey on circulation of infectious bronchitis virus strains in Northern Italy 309
- Ceruminous otitis in native chicken breeders belonging to *Robusta Lionata* breed (case report) 312
- Caecal coccidiosis in commercial male turkeys (case report) 315
- Outbreak of *Eimeria kofoidi* and *E. legionensis* coccidiosis in red-legged partridges (*Alectoris rufa*) (case report) 318
- Proposal of an udder health genetic index for the Italian Holstein Friesian based on first lactation data 359

Meat science and technology

- Comparison of video and direct observation methods for measuring oral behaviour in veal calves .. 19



CONTENTS

(based on prevalent subjects)

- Comparison of two chicken genotypes organically reared: oxidative stability and other qualitative traits of the meat 29
- Mixtures of mono-, di- and tri-glycerides as energy supplements to broilers' diets 55
- MC1R gene analysis applied to breed traceability of beef (short communication) 87
- Effect of electrical stimulation and other genetic and environmental factors on colour of lamb meat 183
- Investigation of SNPs in the *ATPIA2*, *CA3* and *DECRI* genes mapped to porcine chromosome 4: analysis in groups of pigs divergent for meat production and quality traits 249
- Physical, chemical and technological traits of dry-cured ham of Cinta Senese pigs reared outdoors and indoors 265
- Microbiological evaluation of food contact surfaces at red meat processing plants in Istanbul, Turkey (short communication) 277

Dairy science and technology

- Changes of particle size distribution and chemical composition of a hay-based ration offered once or twice daily to dairy cows 9
- Raw, extruded and expanded pea (*Pisum sativum*) in dairy cows diets 237
- Relationship between fat globule size and chemical and fatty acid composition of cow's milk in mid lactation 349
- Proposal of an udder health genetic index for the Italian Holstein Friesian based on first lactation data 359

Physiology

- Contribution to the definition of the metabolic profile of farmed rainbow trout (*Oncorhynchus mykiss*) 63
- Evaluation of the digestibility of *Lathyrus sativus* in growing pigs 147
- Stress evaluation in hares (*Lepus europaeus* Pallas) captured for traslocation 175



CONTENTS

(based on prevalent subjects)

- Age at puberty and some biological parameters of Awassi and its first crosses with Charollais and Romanov rams 193
- Gender effect on the metabolic profile of ostriches (*Struthio camelus domesticus*) 229
- Effects of synchronizing starch and protein degradation in rumen on fermentation, nutrient utilization and total tract digestibility in sheep 341

Economics

- Cultural energy analysis on broiler reared in different capacity poultry houses (short communication) 393